

## OBD2 OBD EOBD Scan tool CAN-BUS Auto Interface USB Live



## OBD II Compliancy Pc interface V1.3

If your car's Check Engine Light is on, you need this device. Interface is a pc device for reading and erasing trouble code in your vehicles. It can also display live data for your vehicle. Competitive in price and easy to use.

### Functions:

Read diagnostic trouble codes, both generic and manufacturer-specific, and display their meaning (over 3000 generic code definitions in the database).

Clear trouble codes and turn off the MIL ("Check Engine" light).

Display current sensor data, including:

Engine RPM

Calculated Load Value

Coolant Temperature

Fuel System Status

Vehicle Speed

Short Term Fuel Trim

Long Term Fuel Trim

Intake Manifold Pressure

Timing Advance

Intake Air Temperature

Air Flow Rate

Absolute Throttle Position  
 Oxygen sensor voltages/associated short term fuel trims  
 Fuel System status  
 Fuel Pressure  
 Etc.

## Multi-Protocol Support:

- SAE J1850 PWM (41.6 kbaud)
- SAE J1850 VPW (10.4 kbaud)
- ISO 9141-2 (5 baud init, 10.4 kbaud)
- ISO 14230-4 KWP (5 baud init, 10.4 kbaud)
- ISO 14230-4 KWP (fast init, 10.4 kbaud)
- ISO 15765-4 CAN (11 bit ID, 500 kbaud)
- ISO 15765-4 CAN (29 bit ID, 500 kbaud)
- ISO 15765-4 CAN (11 bit ID, 250 kbaud)
- ISO 15765-4 CAN (29 bit ID, 250 kbaud)

## Technical Specification:

Output protocol: RS232  
 Baud rate: 9600 or 38400  
 Indicator LEDs: OBD Tx/Rx, RS232 Tx/Rx, Power  
 Operating voltage: 12V, internal protection from short circuits/overvoltage's  
 Nominal idle current: 45 mA

## Vehicle Coverage

1996 ~ Current Year (OBD-II):

Alfa Romeo		Bentley	BMW	Chevrolet	Chrysler	Citroen	Corvette
Daewoo	Daihatsu	Datsun	Dodge	Ferrari	Fiat	Ford	Honda
Hyundai	Isuzu	Jaguar	Jeep	Kia	Lada	Lamborghini	Lancia
Land Rover	Lexus	Lotus	Mazda	Mercedes-Benz	MG	Mini	Mitsubishi
Nissan	Peugeot	Porsche	Proton	Renault	Rover	Saab	
	Smart	Ssangyong	Subaru	Suzuki	Toyota	Vauxhall/ Opel	
Volvo							